EH-LS9000B

DATASHEET / BROCHURE













High-performance 4K laser projector for home cinema with flexible installation and superb image quality.

The EH-LS9000B is a 4K laser movie projector designed for serious home cinema. Delivering crisp 4K resolution, smooth motion, and vivid colour, it brings the true cinema experience to your dedicated space. With powered lens controls and long-lasting performance, it's a flexible, low-maintenance solution for film enthusiasts.

Cinematic 4K laser projection at home

The EH-LS9000B is designed for high-performance home cinema. With 4K (3840 x 2160) resolution and 8.3 million pixels on screen, it delivers crisp, immersive visuals. The laser light source ensures lasting brightness and colour, giving film enthusiasts a reliable 4K projector that performs beautifully in dedicated cinema rooms.

Sharp motion and fine detail for every scene

Perfect for fast-moving films and sports, the EH-LS9000B uses 4K Frame Interpolation and Super Resolution to reduce motion blur and enhance clarity. HDR10+ and scene adaptive gamma correction ensure every scene is well balanced, from bright highlights to deep shadows.

Rich contrast and colour for immersive viewing

With a dynamic contrast ratio of 2,500,000:1 and advanced 3LCD laser technology, the EH-LS9000B delivers vibrant colours and inky blacks. It's built for controlled-light environments, making it ideal for serious home cinema setups where picture quality is paramount.

Install with ease in your cinema room

Whether ceiling-mounted or on a shelf, the EH-LS9000B supports flexible placement. Motorised lens shift, zoom, and focus let you position your projector precisely and adjust the image easily - no manual repositioning required.

Convenient lens memory for content variety

Adapt to your content with ease using 10 lens position memories. Switch between different aspect ratios - without losing your perfect screen alignment.

Low maintenance, long-term performance

The EH-LS9000B's laser light source is built for longevity and consistency. It reduces the need for replacements and maintenance, giving you more time to enjoy your home cinema without disruption.

KEY FEATURES

- 4K laser projection for home cinema
 Bring the big screen home with 4K (3840 × 2160) resolution and a durable laser light source.
- Enhanced motion and detail for film lovers

4K Frame Interpolation and Super Resolution keep action sharp and smooth. HDR10+ delivers vivid, lifelike visuals.

 Deep contrast and rich colour accuracy

Enjoy immersive film viewing with vibrant tones and a high dynamic contrast ratio of 2,500,000:1.

- Flexible installation for cinema rooms Motorised lens shift, zoom, and focus allow easy setup in dedicated home cinema environments.
- Lens memory for different screen formats

Switch between content types with 10 stored lens settings for various aspect ratios.



TECHNOLOGY

Projection System 3LCD Technology, RGB liquid crystal shutter

LCD Panel 0.74 inch

IMAGE

Color Light Output 2,200 Lumen- 1,000 Lumen (economy) White Light Output 2,200 Lumen - 1,000 Lumen (economy) Resolution

4K 3840 x 2160, 8.3m pixels, 16:9

Resolution Enhancement Aspect Ratio 16:9 On-Screen Pixel Count 8,294,400 Over 2,500,000:1 Contrast Ratio Native Contrast 1,800:1 Light source Laser

20,000 hours Durability High, 20,000 hours Durability Medium, 20,000 hours Durability Eco Laser Light source

Keystone Correction Manual vertical: ± 30 °, Manual horizontal ± 30 °

Colour Video Processing 10 Bits 2D Vertical Refresh Rate 384 Hz - 480 Hz Upto 1.07 billion colours Colour Reproduction HDR support HDR10, HLG, HDR10+

OPTICAL

Throw Ratio 1.35 - 2.84:1

Motorized, Factor:1 - 2.1 Zoom

Lens Shift Motorized - Vertical ± 96.3 %, horizontal ± 24 %

Lens position memory 10 positions Screen Size 50 inches - 300 inches Projection Distance Wide/Tele 3 m - 6.3 m (300 inch screen),

Projection Lens F Number 2 - 3 Projection Lens Focal Length 22.5 mm - 46.7 mm Projection Lens Focus Motorized

Mechanical shutter Yes

CONNECTIVITY

Interfaces USB 2.0 Type B (Service Only), Powered USB (2x), RS-232C, Ethernet interface (100 Base-TX /

10 Base-T), Trigger out, HDMI ARC, HDMI (HDCP 2.3)

Network Protocol ESC/VP.net, PJLink

ADVANCED FEATURES

Kensington lock

3D

2D Colour Modes Dynamic, Natural, Cinema, Bright Cinema, Vivid

Other features A/V mute, Direct Power on/off, Frame interpolation, Horizontal and vertical keystone

correction, Lens position memory, Long light source life, Quick Corner, Super resolution

Interactivity

Video Color Modes Cinema, Dynamic, Natural, Bright Cinema, Vivid

Projector control via: Crestron Integrated Partner, AMX Device Discovery, Control4 Simple Device Discovery

EH-LS9000B

- Power cable
- Remote control incl. batteries
- User quide
- Warranty document



GENERAL

Power consumption 302 Watt (Normal On-Mode), 198 Watt (Eco On-Mode), 0.4 Watt (Energy saving standby)

Heat Dissipation 1,026.8 BTU/hour (max)
Supply Voltage AC 100 V - 240 V, 50 Hz - 60 Hz

Product dimensions 520 x 447 x 193 mm (Width x Depth x Height)

Product weight 12.7 kg

Noise Level Normal:30 dB (A) - Economy:22 dB (A)

Supported Temperature Operation 5° C - 35° C, Storage -10° C - 60° C

Supported Humidity Operation 20% - 80%, Storage 10% - 90%

Options Air filter, Ceiling mount, Safety wire set, Suspension adapter

Room Type / Application 4K Gaming, 4K Streaming, Home Cinema, Sports, TV & Box sets

Positioning Ceiling Mounted, Desktop

Colour Black

OTHER

Warranty 60 months Carry in or 12,000 h

EH-LS9000B

- Power cable
- Remote control incl. batteries
- User guide
- Warranty document



OPTIONAL ACCESSORIES

- Air Filter ELPAF62 EH-LS11/12000 V13H134AB0
- Ceiling Mount (White) ELPMB22 V12H003B22
- Ceiling Mount (Low profile) ELPMB30 V12H526040
- Ceiling Pipe (450mm) ELPFP13 V12H003P13
- Ceiling Pipe (700mm) ELPFP14 V12H003P14
- Safety Wire ELPWR01 V12H003W01

LOGISTICS INFORMATION

sku	V11HC13180
EAN code	8715946742717
Country of Origin	Philippines



* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com

Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742 Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway

+47 67 11 37 00 Poland 0-0-800 4911299 (0,16 zł/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711)

Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal - 0,99 kr/min, Lokala samtal - 0,30 kr/min, Utlandssamtal - 0,89 kr/min) Switzerland 022 592 7923
Turkey (0212) 3360303 United Kingdom 0871 222 6702



EH-LS9000W

DATASHEET / BROCHURE













High-performance 4K laser projector for home cinema with flexible installation and superb image quality.

The EH-LS9000W is a 4K laser movie projector designed for serious home cinema. Delivering crisp 4K resolution, smooth motion, and vivid colour, it brings the true cinema experience to your dedicated space. With powered lens controls and long-lasting performance, it's a flexible, low-maintenance solution for film enthusiasts.

Cinematic 4K laser projection at home

The EH-LS9000W is designed for high-performance home cinema. With 4K (3840 x 2160) resolution and 8.3 million pixels on screen, it delivers crisp, immersive visuals. The laser light source ensures lasting brightness and colour, giving film enthusiasts a reliable 4K projector that performs beautifully in dedicated cinema rooms.

Sharp motion and fine detail for every scene

Perfect for fast-moving films and sports, the EH-LS9000W uses 4K Frame Interpolation and Super Resolution to reduce motion blur and enhance clarity. HDR10+ and scene adaptive gamma correction ensure every scene is well balanced, from bright highlights to deep shadows.

Rich contrast and colour for immersive viewing

With a dynamic contrast ratio of 2,500,000:1 and advanced 3LCD laser technology, the EH-LS9000W delivers vibrant colours and inky blacks. It's built for controlled-light environments, making it ideal for serious home cinema setups where picture quality is paramount.

Install with ease in your cinema room

Whether ceiling-mounted or on a shelf, the EH-LS9000W supports flexible placement. Motorised lens shift, zoom, and focus let you position your projector precisely and adjust the image easily - no manual repositioning required.

Convenient lens memory for content variety

Adapt to your content with ease using 10 lens position memories. Switch between different aspect ratios - without losing your perfect screen alignment.

Low maintenance, long-term performance

The EH-LS9000W's laser light source is built for longevity and consistency. It reduces the need for replacements and maintenance, giving you more time to enjoy your home cinema without disruption.

KEY FEATURES

- 4K laser projection for home cinema
 Bring the big screen home with 4K (3840 × 2160) resolution and a durable laser light source.
- Enhanced motion and detail for film lovers

4K Frame Interpolation and Super Resolution keep action sharp and smooth. HDR10+ delivers vivid, lifelike visuals.

 Deep contrast and rich colour accuracy

Enjoy immersive film viewing with vibrant tones and a high dynamic contrast ratio of 2,500,000:1.

- Flexible installation for cinema rooms Motorised lens shift, zoom, and focus allow easy setup in dedicated home cinema environments.
- Lens memory for different screen formats

Switch between content types with 10 stored lens settings for various aspect ratios.



TECHNOLOGY

Projection System 3LCD Technology, RGB liquid crystal shutter

LCD Panel 0.74 inch

IMAGE

Color Light Output 2,200 Lumen- 1,000 Lumen (economy) White Light Output 2,200 Lumen - 1,000 Lumen (economy) Resolution

4K 3840 x 2160, 8.3m pixels, 16:9

Resolution Enhancement Aspect Ratio 16:9 On-Screen Pixel Count 8,294,400 Over 2,500,000:1 Contrast Ratio Native Contrast 1,800:1 Light source Laser

20,000 hours Durability High, 20,000 hours Durability Medium, 20,000 hours Durability Eco Laser Light source

Keystone Correction Manual vertical: ± 30 °, Manual horizontal ± 30 °

Colour Video Processing 10 Bits 2D Vertical Refresh Rate 384 Hz - 480 Hz Upto 1.07 billion colours Colour Reproduction HDR support HDR10, HLG, HDR10+

OPTICAL

Throw Ratio 1.35 - 2.84:1

Motorized, Factor:1 - 2.1 Zoom

Lens Shift Motorized - Vertical ± 96.3 %, horizontal ± 24 %

Lens position memory 10 positions Screen Size 50 inches - 300 inches Projection Distance Wide/Tele 3 m - 6.3 m (300 inch screen),

Projection Lens F Number 2 - 3 Projection Lens Focal Length 22.5 mm - 46.7 mm Projection Lens Focus Motorized

Mechanical shutter Yes

CONNECTIVITY

Interfaces USB 2.0 Type B (Service Only), Powered USB (2x), RS-232C, Ethernet interface (100 Base-TX /

10 Base-T), Trigger out, HDMI ARC, HDMI (HDCP 2.3)

Network Protocol ESC/VP.net, PJLink

ADVANCED FEATURES

Kensington lock

3D

2D Colour Modes Dynamic, Natural, Cinema, Bright Cinema, Vivid

Other features A/V mute, Direct Power on/off, Frame interpolation, Horizontal and vertical keystone

correction, Lens position memory, Long light source life, Quick Corner, Super resolution

Interactivity

Video Color Modes Cinema, Dynamic, Natural, Bright Cinema, Vivid

Projector control via: Crestron Integrated Partner, AMX Device Discovery, Control4 Simple Device Discovery

EH-LS9000W

- Power cable
- Remote control incl. batteries
- User quide
- Warranty document



GENERAL

Power consumption 302 Watt (Normal On-Mode), 198 Watt (Eco On-Mode), 0.4 Watt (Energy saving standby)

Heat Dissipation 1,026.8 BTU/hour (max)
Supply Voltage AC 100 V - 240 V, 50 Hz - 60 Hz

Product dimensions 520 x 447 x 193 mm (Width x Depth x Height)

Product weight 12.7 kg

Noise Level Normal:30 dB (A) - Economy:22 dB (A)

Supported Temperature Operation 5° C - 35° C, Storage -10° C - 60° C

Supported Humidity Operation 20% - 80%, Storage 10% - 90%

Options Air filter, Ceiling mount, Safety wire set, Suspension adapter

Room Type / Application 4K Gaming, 4K Streaming, Home Cinema, Sports, TV & Box sets

Positioning Ceiling Mounted, Desktop

Colour Black

OTHER

Warranty 60 months Carry in or 12,000 h

EH-LS9000W

- Power cable
- Remote control incl. batteries
- User guide
- Warranty document



OPTIONAL ACCESSORIES

- Air Filter ELPAF62 EH-LS11/12000 V13H134AB0
- Ceiling Mount (White) ELPMB22 V12H003B22
- Ceiling Mount (Low profile) ELPMB30 V12H526040
- Ceiling Pipe (450mm) ELPFP13 V12H003P13
- Ceiling Pipe (700mm) ELPFP14 V12H003P14
- Safety Wire ELPWR01 V12H003W01

LOGISTICS INFORMATION

sku	V11HC13080
EAN code	8715946742724
Country of Origin	Philippines



* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com

Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742

Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00 Poland 0-0-800 4911299 (0,16 zł/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711)

Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal - 0,99 kr/min, Lokala samtal - 0,30 kr/min, Utlandssamtal - 0,89 kr/min)

Switzerland 022 592 7923
Turkey (0212) 3360303 United Kingdom 0871 222 6702

