

XGIMI HORIZON 20 Series

Product Deck




Important Notice

- This document is confidential. Please do not share or disseminate it in any form.
- All pictures in this document cannot be used directly for dissemination.
- The information in this document may change during the product development process; please check regularly for our updates.
- For final product images, features, and parameters, please refer to the final version available on the market.
- Any direct comparison of other brands mentioned in the competitiveness is for internal understanding only.
Please do not use them directly for external publicity.
For detailed revision records, please refer to the version records.

Revision Records

Version	Revision Records	Date
V1	First Version	2025/7/18
V2	1、Launch plan adjusted: shifted from EU Pro-only launch to global simultaneous launch of all three models 2、Delete Point-to-Point Display (p48)	2025/7/29
V3	Brightness Update	2025/7/31
V4	Delete HGiG function	2025/8/1
V5	Update Viewing Contrast to 20,000:1	2025/9/3

Product Positioning



ID Design Contrast

HORIZON 20 Max



HORIZON 20 Pro



HORIZON 20



Color	Dark Gray	Light Gray	
Panel Pattern	X-Patterned Panel	Diagonal-Patterned Panel	
Lens	X-Master Red Ring Lens	X-Master Red Ring Lens	Ordinary Lens

Product Overview-HORIZON 20 Max

Communication Strategy

Lossless Optics, Pure Clarity

Lossless Optics

**X-Master
Red Ring Lens**

Lens Shift
V±120% / H±45%
Optical Zoom
1.2:1-1.5:1

**X-Master
RGB Triple Laser**

40 Laser Chips
SGS A+ Low Speckle
SGS A+ Low Color Fringing
Uncompromised detail

True-to-Life Brilliance on a Grand Scale

Cinematic Clarity

$\Delta E < 0.8$
@BT.2020
Rec.709
DCI-P3
AdobeRGB

5700 ISO
Ultra Bright

IMAX Enhanced
Dolby Vision
Filmmaker Mode
HDR 10+

20,000:1

Viewing Contrast

1ms Response. Seamless Play

Ultra-Smooth Gaming

1ms Lag
VRR & ALLM
No tearing, no delay

Black Equalizer
Virtual Crosshair
Gaming Picture Mode

MT9679
4+128GB
Seamless
Performance

Positioning & Slogan

Flagship performance · Professional imaging

The Pinnacle of Home Projection




Feature Highlights

IMAX
ENHANCED

Dolby
VISION

HDR10+



Product Overview-HORIZON 20 Pro

Communication Strategy

Pro-Level Image Calibration

Cinematic
Visual

$\Delta E < 0.8$
@BT.2020
Rec.709
DCI-P3
AdobeRGB

4100 ISO
Ultra Bright

20,000:1
Viewing Contrast

RGB
Triple
Laser

IMAX Enhanced
Dolby Vision
Filmmaker Mode
HDR 10+

1ms Response. Seamless Play

Ultra-Smooth
Gaming

1ms Lag
VRR & ALLM
No tearing, no delay

Black Equalizer
Virtual Crosshair
Gaming Picture Mode

MT9679
4+128GB
Seamless
Performance

Lossless Optics, Pure Clarity

Lossless
Optics

X-Master
Red Ring Lens

Lens Shift
V \pm 120% / H \pm 45%

Optical Zoom
1.2:1-1.5:1

Positioning & Slogan

Immersive gaming · Pro-level calibration

Game Deeper with Pro-Grade Visuals




Feature Highlights

IMAX
ENHANCED

Dolby
VISION

HDR10+



Product Overview-HORIZON 20

Communication Strategy

Stunning Clarity on a Big Screen

Cinematic Visual

3200 ISO

RGB
Triple
Laser

$\Delta E < 0.8$
@BT.2020
Rec.709
DCI-P3
AdobeRGB

IMAX Enhanced
Dolby Vision
Filmmaker Mode
HDR 10+

20,000:1

Viewing Contrast

1ms Response. Seamless Play

Ultra-Smooth Gaming

1ms Lag
VRR & ALLM
No tearing, no delay

Black Equalizer
Virtual Crosshair
Gaming Picture Mode

MT9679
4+128GB
Seamless
Performance

Engineered for Everything

All-in-One Versatility

24W
Harman Kardon
Sound

ISA Tech &
Built-in Stand

Multi-Port

Google TV
Google Home
Google Cast

Positioning & Slogan

All-in-one versatility · Value ACE for tech-savvy users

The All-in-One ACE for Everyday Greatness



Feature Highlights

IMAX
ENHANCED

Dolby
VISION

HDR10+

FILMMAKER MODE




SUMMARY

Lossless Optics, Pure 4K Clarity

Lens
Shift

Optical
Zoom


X-Master
Red Ring Lens



Ordinary 4K projectors don't
actually deliver 4K quality in
everyday use



Size Adjustment



Position Adjustment

Pain Point & Traditional Fix

Size Adjustment



Image goes beyond the projection area/Screen

Digital Zoom Applied

Size/Position Adjustment



Obstacles on the wall

Digital Zoom/Keystone Applied

Position Adjustment



Side projection causes image distortion

Keystone Applied

Tackles Two Clarity Killers

Size Adjustment

Digital Zoom

Position Adjustment

Keystone Correction

WHY Do You Need Lens Shift

WITHOUT Lens Shift



- Keystone-based side projections lead to loss in brightness and image quality
- Ghost Frame



WITH Lens Shift



- Less keystone dependency for side projections
- Minimal Ghost Frame

Flexible Installation and Placement

Lossless Native 4K Image



Physically adjusting the position of the lens relative to the DMD chip

Lossless Image Adjustment

Preserves native 4K clarity

Less Keystone Dependency

Less distortion, less latency

No Need for Exact Mounting

Flexible placement at your ideal height


*Lens shift function is **mutually exclusive with other ISA features**. When lens shift is activated, all intelligent image adjustment features—including **Auto Keystone**, **Auto Focus**, **Wall Color Adaptation**, and **Eye Protection**—will be disabled.

WHEN Do You Need Lens Shift

Side-projecting from a bedside table/couch




Something on the wall obstructs a centered image



To fine-tune image height after ceiling mounting



HOW to calculate lens shift for your space




Vertical $\pm 120\%$

16:9 Screen Size		Shift Range		
F	W x H (cm)	A (cm)	B (cm)	A+B (cm)
80"	177 x 100	10	110	120
100"	221 x 125	13	136	149
120"	266 x 149	15	164	179
150"	332 x 187	19	205	224
200"	443 x 249	25	274	299
300"	664 x 373	37	411	448

Formula: $A+B=H*120\%$

*The vertical lens shift range is $\pm 120\%$. The *default lens position is set at 100%*, allowing for an additional 20% upward shift and the full 120% downward shift.

HOW to calculate lens shift for your space




Horizontal $\pm 45\%$

16:9 Screen Size		Shift Range
F	W x H (cm)	C+D (cm) (C=D)
80"	177 x 100	80
100'	221 x 125	100
120"	266 x 149	120
150"	332 x 187	149
200"	443 x 249	199
300"	664 x 373	299

*Formula: $C+D = W * 45\%$*
($C=D=W*0.5*45\%$)


WHY Do You Need Optical Zoom

Digital Zoom



- Digital zoom works by cropping the image
- By disabling edge pixels, digital zoom creates a *Ghost Frame*
- Only use a portion of the imaging chip → *clarity loss*

Optical Zoom



- Physically shifts the lens, no cropping
- Minimal Ghost Frame
- Preserves full resolution



*The projection distance in the image is 4m.



Optical Zoom
1.2:1-1.5:1

Image Size	Projection Distance Range
65	1.73 – 2.16m
80	2.13 – 2.66m
90	2.39 – 2.99m
100	2.66 – 3.32m
110	2.92 – 3.65m
120	3.19 – 3.99m
150	3.99 – 4.98m
200	5.31 – 6.64m
300	7.97 – 9.96m

Digital Zoom vs. Optical Zoom

Feature	Digital Zoom	Optical Zoom
Principle	Crops the image and disables edge pixels	Adjusts focal length of the lens
Resolution	Reduced, lossy	Maintained, lossless
Image Quality	Blurry edges, clarity loss, ghost frame	Sharp and intact with minimal ghost frames
Typical Side Effect	Ghost frame (dim gray border)	Minimal
User Experience	Unnatural scaling with visible detail loss	Smooth and natural scaling with full image fidelity

Lens Shift: With vs. Without

Feature	Without Lens Shift	With Lens Shift
Image Adjustment	Requires digital keystone correction (may distort image)	Physically shifts the image without distortion
Image Quality	Potential clarity loss	Full resolution and sharpness preserved
Projection Flexibility	Must align projector directly with screen	Supports off-center or side placement
Ease of Setup	Requires repositioning or digital adjustment	Easy alignment without moving the projector
Viewing Experience	Misaligned image with visible distortion	Clean, distortion-free image

X-Master Red Ring Lens

XGIMI's most advanced self-developed lens to date
Combines ultra-high-resolution A-grade optics with aerospace-grade laser glass for unmatched clarity,
superior light transmittance, and lasting performance.

99.6%
Light Transmittance

+84%
Brightness*

14-Layer
Vacuum Coating

**Suppress Spherical
Aberration**
Aspherical Glass

*HORIZON 20 Max compared to HORIZON S Max

SUMMARY

True-to-Life Brilliance on a Grand Scale

**X-Master
RGB Triple
Laser Engine**

**Outstanding
Image**

Ultra Bright
20,000:1 Viewing Contrast
 $\Delta E < 0.8$
@BT.2020, DCI-P3, Rec.709, Adobe
RGB
110% BT.2020

**Professional
Film Standards**

IMAX Enhanced
Dolby Vision
Filmmaker Mode
HDR 10+



Delivering XGIMI's Highest Brightness to Date

5700 ISO Lumens

(HORIZON 20 Max)

HORIZON 20 Max

5700 ISO

84% ↗

HORIZON S Max

3100 ISO



Other Competitors

3000 Lumens

Delivering XGIMI's Best Contrast to Date

20,000:1 Viewing Contrast

(DBLE On)



Delivering XGIMI's Best Color Accuracy to Date

$\Delta E < 0.8$

Under 4 major color standards



BT.2020

DCI-P3

Rec.709

Adobe RGB

State-of-the-Art Color Management

Color perception varies from person to person due to individual differences in eye sensitivity, age, etc.




Ultra-Wide laser gamut requires human-centric tuning. More isn't always better.



Human Visual Response-Based Color Calibration

XGIMI's RGB Triple Laser technology incorporates advanced calibration based on the CIE170 **Human Visual Response Curve**—a model that reflects how the human eye perceives brightness and color across different wavelengths.


CIE 2006 color matching functions for observers aged 20 to 80 years and field angles ranging from 2° to 10°



State-of-the-Art Color Management

Introduce the groundbreaking concept of **3D Color Gamut Evaluation** process, which offers a more scientific and rigorous approach to assessing color accuracy


Traditional 2D Color Gamut



110% BT.2020 Color Gamut Coverage Ratio

3D Color Gamut


Incorporating the element of **brightness** into color performance assessment



118% BT.2020 Color Volume Ratio
98% BT.2020 3D Color Gamut Coverage


Pro Tuning Menu

We give users the freedom to fine-tune multiple image quality and color parameters within the projector menu, creating a truly personalized visual experience.



HDR Dynamic Tone Mapping*

Seamlessly adapts brightness and contrast in real time to retain highlight brilliance, deepen shadow detail, and ensure cinematic HDR clarity in every scene.



**Only available in Movie Picture Mode or when playing HDR10 content. It is enabled by default and cannot be manually adjusted.*


X-Master RGB Triple Laser Engine

20x/30x/40x
Laser Chips

SGS A+

Low Speckle
Low Color Fringing

Zero
Harmful Blue Light




How Do We Ensure Viewing Comfort with Pure Laser ?


Minimal Speckle & Color Fringing

Hardware Speckle Control

Software Precision Tuning



Compound Eye



LSR
Diffusers



Half-Wave
Plate




Average RGB Laser Projector




HORIZON 20 Series

How Do We Ensure Viewing Comfort with Pure Laser ?

Zero Harmful Blue Light



XGIMI RGB Triple Laser



LED Light Source

XGIMI Light Source Tech Comparison

Light Source Tech	LED	Dual Light	Dual Light 2.0	X-Master RGB Triple Laser
Launch Time	Before 2023	2023	2024	2025
Specific Source	RGB LED	Single Red Laser + RGB LED	RGB Triple Laser + GB LED	Pure RGB Triple Laser
Brightness	★	★★	★★★	★★★★★
Contrast	★	★★	★★	★★★★
Color Gamut	★	★★	★★★	★★★★★
Color Accuracy	★	★★★★	★★★	★★★★★
Eye Comfort	★★★★☆	★★★	★★★	★★★
Key Evolution Takeaway	Comfortable for the eyes, but limited in brightness and color performance	Better image quality and more eye-friendly than RGB triple laser	Further boosts image quality while maintaining eye comfort	Our best-ever picture quality—now with the same eye protection level as hybrid light solutions
Models	Before 2023	HORIZON Ultra	HORIZON S Max HORIZON S Pro	HORIZON 20 Series

Premium Harman Kardon Speakers Built In

24W

High Power Output

360°

Surround Sound

55Hz

Deep Bass Extension

630cc

Acoustic Chamber
Volume



SOUND BY
harman / kardon



Uncompromising Cinema Quality at Home




IMAX[®]
ENHANCED

The logo features the text "IMAX" in a large, bold, white sans-serif font, with a registered trademark symbol. Below it, the word "ENHANCED" is written in a smaller, white sans-serif font. The background is a dark space scene showing the blue and white horizon of the Earth against a black starry sky.

Dolby
VISION

The logo consists of the word "Dolby" in a white, rounded sans-serif font, with a white icon of two overlapping semi-circles to its left. Below "Dolby" is the word "VISION" in a smaller, white, all-caps sans-serif font. The background is a vibrant, abstract image of colorful, swirling patterns in shades of blue, purple, orange, and yellow.

HDR10+

The logo features the text "HDR10+" in a white, bold, sans-serif font. To the left of the text is a graphic of a film strip with several frames, each containing a different color from a rainbow spectrum (red, orange, yellow, green, blue, purple).

FILMMAKER MODE™

Benefits of Each Picture Quality Certification

Certification Name				
Image Quality Features	High-quality visuals and sound with ultra-wide format support	Lower saturation for authentic film grain	Bright, high-contrast, lifelike images	Frame-by-frame dynamic optimization
Bit Depth	Excellent	Excellent	Good	Excellent
Color Gamut	DCI-P3 to BT.2020	DCI-P3 to BT.2020	DCI-P3 to BT.2020	DCI-P3 to BT.2020
Dynamic Metadata	/	/	Yes	Yes
Device Compatibility	Low	Low	High	Low
Content Supported	Limited	Limited	Extensive	Limited
Expanded Aspect Ratio	Yes	/	/	/
Custom Color Calibration	/	Yes	/	/

SUMMARY

Next-Gen Gaming

Seamless Play


1ms Input Lag
VRR (Variable Refresh Rate)
240Hz
MT9679 SoC
4 GB + 128 GB

Features

Black Equalizer
Virtual Crosshair
Picture Mode (OTA)

Connectivity

USB 3.0 + USB 2.0
HDMI 2.1 (eARC)
WiFi 6
Bluetooth 5.2



1ms Response. Seamless Play

Perform on a bigger stage than ever before.
Experience epic gameplay on a huge, vivid 300" screen, with ultra-responsive

Input Lag	Refresh Rate
1ms	1080p@240Hz
2.2ms	1080p@120Hz
3ms	4K@60Hz

*Game Mode, VRR On, AK Off

1MS



Gaming Features

VRR

Variable Refresh Rate

First smart home projector to feature VRR!

Dynamically adjusts the display refresh rate to match your game's frame rate—eliminating screen tearing, stuttering, and input lag for ultra-smooth gameplay.

ALLM

Auto Low Latency Mode

Automatically switches the display to low-latency mode whenever an HDMI gaming signal is detected, reducing input lag for a more responsive, real-time experience.



Gaming Features

Black Equalizer

Automatically enhances dark scene details to reveal any surprises lurking in the shadows, improving situational awareness and gaming outcomes.







Virtual Crosshair

Stay locked onto targets with optional built-in crosshairs that boost weapon precision and gameplay metrics.




Genre-specific Picture Modes (OTA)



MT9679 SoC & 8445 Driver

Engineered for commercial entertainment, the professional-grade MT9679 System-on-Chip delivers ultra-smooth gameplay and fluid 4K streaming with low latency and fast response.

Paired with a resilient 8445 driver, whether you're navigating an intense in-game battle or watching a fast-paced film, every moment feels seamless and immersive.



Faster starts, Instant switches, Endless storage

Boosted memory and expanded storage mean lightning-fast game launches, seamless app switching, and space for all your media—effortlessly.

RAM




ROM



 HORIZON 20 Series

 Ordinary Competitor



Gaming Performance That Outplays the Rest

Gaming Features	HORIZON 20 Series	Competitor 1 Gaming Projector	Competitor 2 Flagship Gaming Projector
Input Lag	1ms at 1080p@240Hz	4ms at 1080P@240Hz	4.2ms at 1080P@240Hz
Refresh Rate	1080p up to 240Hz, 4K up to 60Hz		
VRR	✓	/	/
ALLM	✓	✓	/
Game Picture Modes	✓	✓	✓
Overall Picture Quality	3200-5700 ISO, HDR 10+, DTM	2000 ISO, HDR 10+, DTM	3300ANSI, HDR
Gaming Enhancements	Black Equalizer, Virtual Crosshair	Crosshair, Dark Detail	FPS Crosshair
Port Selection	HDMI x 2, USB 3.0 x 1, USB 2.0 x 1	HDMI x 3, USB 3.0 x 1, USB 2.0 x 1	HDMI x 2, USB 2.0 x 1
WiFi	WiFi 6	WiFi 6e	WiFi 5
CPU & RAM	MT9679, 4GB	MT9618, 4GB	-

HORIZON 20 Series vs. Gaming Monitors & OLED TVs

Features	HORIZON 20 Series	High-End Gaming Monitor	OLED Gaming TV
Max Screen Size	Up to 300"	27"-49"	42"-77"
Input Lag	1ms @ 1080p 240Hz	~0.03-1ms	10-20ms typical
Refresh Rate	240Hz @ 1080p 60Hz @ 4K	Up to 360Hz (1080p/1440p)	120Hz @4K
VRR & ALLM	✓	✓	✓
Game Picture Modes	✓	✓	✓
HDR Format Support	HDR 10+, BT.2020	HDR 10, DCI-P3	HDR 10, Dolby Vision, HGiG
Gaming Enhancements	Black Equalizer, Virtual Crosshair	Limited (only some models)	Rare
Port Selection	HDMI x 2, USB 3.0 x 1, USB 2.0 x 1	1-3x HDMI, USB-C	3-4x HDMI
Immersion & Flexibility	Massive screen + no physical limits	Close-up experience only	Limited to screen size & room
Typical Price (USD)	Competitive for size	\$800-\$1800	\$1000-\$2500+

Built-in Flexibility



360°
Horizontally

135°
Vertically



Connectivity

HDMI x 2

(HDMI1 supports eARC)

USB 3.0 x 1

USB 2.0 x 1

AUDIO x 1

OPTICAL x 1

Google, Fully Integrated

 Google TV

 Google Home

 Google Cast

 YouTube

 hulu

 NETFLIX

 prime video



More to Explore

3D Supported

Compatible with active shutter 3D content. When connected to a 3D-capable source and paired with active shutter glasses, the projector can deliver immersive 3D visuals for movies, games, or other supported content.

**Supported Formats:*

- Frame Packing (Blu-ray)
- Side by side and Top & Bottom (streaming)

AISR Upscaling

Utilizes AI algorithms to intelligently analyze and upscale lower-resolution content in real time. By enhancing details and reducing noise, AISR **delivers sharper, clearer images.**

**Enabled by default*


Perfect for pitch black rooms

Best in dimly lit settings

Comfortable in soft lighting

Works well in bright areas

Ideal for well lit environments



Accessory Compatibility

XGIMI Ceiling Mount



XGIMI Floor Stand
for HORIZON S Series



3D Glasses



Accessory Compatibility - Coming Soon

Floor Stand Ultra (Elephant Grey)



Floor Stand (Elephant Grey)



Product Comparison



HORIZON 20



HORIZON 20 Pro



HORIZON 20 Max

List Price	\$1699/€1699	\$2499/€2499	\$2999/€2999
Light Source	RGB Triple Laser, 20x Laser Chips	RGB Triple Laser, 30x Laser Chips	RGB Triple Laser, 40x Laser Chips
Brightness	3200 ISO	4100 ISO	5700 ISO
Professional Film Standards	IMAX Enhanced, Dolby Vision, HDR10+, Filmmaker Mode, Dynamic Tone Mapping, ISF Certified		
Contrast	20,000:1 Viewing Contrast (DBLE ON); 1,000,000:1 Dynamic Contrast		
Color	ΔE < 0.8 @BT2020、DCI-P3、Rec.709、AdobeRGB; BT.2020 110% Color Gamut		
Lens Shift	Vertical ±120%, Horizontal ±45%		
Optical Zoom	1.25x OZ (1.2-1.5:1 Throw Ratio)		
CPU, RAM, ROM	MT9679 SoC, 4GB+128GB		
Gaming	1ms at 1080P@240Hz, 2.2ms at 1080P@120Hz, 3 ms at 4K @60Hz VRR & ALLM Supported, Black Equalizer, Virtual Crosshair		
Ports	HDMI ×2 (HDMI1 support eARC), USB 3.0 x 1, USB 2.0 x 1		
Sound	2x12W Harman Kardon Speakers; DTS Virtual:X		
ISA & Stand	H 360°/V 135° Built-in Stand Auto Keystone Correction, Auto Focus, Intelligent Obstacle Avoidance, Intelligent Screen Alignment, Eye Protection, Intelligent Wall Color Adaption		



HORIZON 20 Series



HORIZON S Pro



HORIZON S Max

List Price	\$1699-2999	\$1299	\$1899
Light Source	RGB Triple Laser	RGB Triple Laser + LED	
Brightness	3200-5700 ISO	1800 ISO	3100 ISO
Supported Formats & Certifications	IMAX Enhanced, Dolby Vision, HDR10+, Filmmaker Mode, Dynamic Tone Mapping	HDR 10, HLG, Dolby Vision	IMAX Enhanced, Dolby Vision, HDR 10, HLG
Lens shift	Vertical $\pm 120\%$, Horizontal $\pm 45\%$	/	
Optical Zoom	1.25x OZ (1.2-1.5:1 Throw Ratio)	/	
Contrast	20,000:1 Viewing Contrast (DBLE ON); 1,000,000:1 Dynamic Contrast	1,000,000:1 Dynamic Contrast	
Color	$\Delta E < 0.8$ @ BT2020, DCI-P3, Rec.709, AdobeRGB; BT.2020 110%	$\Delta E < 1$ @ BT2020, DCI-P3, Rec.709 BT.2020 110%	
Gaming	1ms at 1080P@240Hz, VRR, ALLM	≤ 8 ms at 1080P@240Hz	
CPU, RAM, ROM	MT9679 SoC, 4GB+128GB	MT9612, 2GB+32GB	MT9612, 2GB+64GB
OS	Google TV	Android TV	
Ports	HDMI $\times 2$ (HDMI1 support eARC) USB 3.0 $\times 1$, USB 2.0 $\times 1$	HDMI $\times 1$ (eARC supported), USB $\times 2$	

NA Region



HORIZON 20 Max



HORIZON 20 Pro



Anker X1



VisionMaster Pro2

	HORIZON 20 Max	HORIZON 20 Pro	Anker X1	VisionMaster Pro2
List Price	\$2999	\$2499	\$2999	\$2999
Light Source	RGB Triple Laser (SGS Low speckle/color fringing certified)		RGB Triple Laser (No eye protection certification)	
Brightness	5700 ISO	4100 ISO	4100 ANSI	3000 ISO
Supported Formats	IMAX Enhanced, Dolby Vision, HDR10+, Filmmaker Mode, Dynamic Tone Mapping, ISF Certified		Dolby Vision, HDR 10, HLG, ISF Certified	IMAX Enhanced, Dolby Vision, HDR10+, Filmmaker Mode, DYNAMIC TONE MAPPING, 24/48 FPS, ISF Certified
Lens shift	Vertical ±120%, Horizontal ±45%		/	
Optical Zoom	1.25x OZ (1.2-1.5:1 Throw Ratio)		1.67x OZ (0.9-1.5:1 Throw Ratio)	
Contrast	20,000:1 Viewing Contrast (DBLE ON); 1,000,000:1 Dynamic Contrast		5000:1 (IRIS ON)	15,000:1 Viewing Contrast
Color	ΔE<0.8@BT2020、DCI-P3、Rec.709、AdobeRGB; BT.2020 110%		ΔE<0.8, BT.2020 110%	BT.2020 110%
Gaming	1ms at 1080p@240Hz, VRR, ALLM		<19ms in Game(Extreme) Mode	4ms at 1080p@240Hz
CPU, RAM, ROM	MT9679 SoC, 4GB+128GB		ARM Cortex-A55 2GB+32GB	MT9618 SoC, 4GB+128GB
Stand	Built-in Stand (H 360° +V 135°)		25° Micro Gimbal	/
OS	Google TV (Licensed Netflix)			
Ports	HDMI ×2 (HDMI1 support eARC), USB 3.0 x 1, USB 2.0 x 1		HDMI 2.1 (eARC), HDMI 2.1, USB-A, USB-C, Audio-Optical	HDMI x2, S/PDIFx1, Audio Jackx1, USBx2

EU Region



HORIZON 20 Pro

€2499



Hisense C2 Pro

€2499 (street price 1999)



Hisense C2 Ultra

€2999 (street price 2299)

List Price	HORIZON 20 Pro		Hisense C2 Pro		Hisense C2 Ultra	
Light Source	RGB Triple Laser, 30x laser chips (SGS Low speckle/color fringing certified)			RGB Triple Laser, 28x laser chips		
Brightness	4100 ISO			2600 ANSI		3000 ANSI
Supported Formats	IMAX Enhanced, Dolby Vision, HDR10+, Filmmaker Mode, Dynamic Tone Mapping, ISF Certified			IMAX Enhanced, Dolby Vision, HDR10+, HDR10, HLG		
Lens shift	Vertical ±120%, Horizontal ±45%			/		
Optical Zoom	1.25x OZ (1.2-1.5:1 Throw Ratio)			1.67x OZ (0.9-1.5:1)		
Contrast	20,000:1 Viewing Contrast (DBLE ON); 1,000,000:1 Dynamic Contrast			2,000,000:1 Dynamic Contrast		2000:1 Native Contrast 2,000,000:1 Dynamic Contrast
Color	ΔE<0.8@BT2020, DCI-P3, Rec.709, AdobeRGB; BT.2020 110%			ΔE=0.9; BT.2020 110%		
Gaming	1ms at 1080p@240Hz, VRR, ALLM			12ms input lag, max 240Hz refresh rate, ALLM		12ms input lag, max 240Hz refresh rate, ALLM ★ XBOX Certified
CPU, RAM, ROM	MT9679 SoC, 4GB+128GB			-		-
Stand	Built-in Stand (H 360° +V 135°)					
OS	Google TV (Licensed Netflix)			VIDAA OS (Licensed Netflix)		
Ports	HDMI ×2 (HDMI1 support eARC), USB 3.0 ×1, USB 2.0 ×1			HDMI ×2 (HDMI1 support eARC), USB 3.0 ×1, USB 2.0 ×1		
Sound	24W Harman Kardon			20W JBL		

Product Specs

Model	Item	HORIZON 20 Max	Setup	Aspect Ratio	16:9
Display	Product Classification	Home Projector	Setup	Image Size	40" - 300"
	Light Source	RGB Triple Laser		System	CPU
	Expected Lamp Life	20000 Hours	GPU		Mali G52
	Display Technique	DLP	RAM		4GB
	Display Chip	0.47" DMD	Storage		128GB
	3D	Yes	System		Google TV
	Supported Formats	HDR 10+, IMAX Enhanced, Dolby Vision	Mirroring Display		GoogleCast/DLNA
	Latency	(Game Mode, VRR on, AK off) 1ms at 1080P@240Hz 2.2ms at 1080P@120Hz 3ms at 4K @60Hz	Audio		Speaker
	MEMC	Yes		DTS Virtual:X	Yes
	Brightness	5700 ISO Lumens		DTS-HD	Yes
	Standard Resolution	3840 x 2160 pixels		Dolby Audio	Yes
	Color Gamut	BT.2020 110%		Dolby Digital (DD)	Yes
	Contrast Ratio	20,000:1 (DBLE On)	Dolby Digital Plus (DD+)	Yes	
	Lens	High Light Transmission Coated Lens	Connectivity	WiFi	WiFi 6 Dual-band 2.4/5GHz, 802.11a/b/g/n/ac/ax
	Eye Protection	Yes		Bluetooth	Bluetooth 5.2
Setup	Keystone Correction	Uninterrupted Auto Keystone		Input Ports	DC x 1, HDMI x 2 (HDMI1 supports eARC), USB 3.0 x 1, USB 2.0 x 1
	Focus	Auto Focus		Output Ports	Optical x 1, Audio x 1
	Intelligent Screen Alignment	Yes	Electrical	Noise Level	≤28dB@1m
	Intelligent Obstacle Avoidance	Yes		Power Dissipation	≤280W
	Lens Shift	V±120%/H±45%		Power	AC100-240V, 50/60Hz
	Optical Zoom	Yes	Measurements	Product Size (H x W x D)	249 x 298 x 190 mm / 9.8 x 11.7 x 7.5 In
		Product Weight		5.4 kg / 11.9 lbs	
		What's in the Box	Power Plug	x1	
			Manual	x1	
			Warranty Card	x1	

Model	Item	HORIZON 20 Pro	Setup	Aspect Ratio	16:9
Display	Product Classification	Home Projector	Setup	Image Size	40" - 300"
	Light Source	RGB Triple Laser		System	CPU
	Expected Lamp Life	20000 Hours	GPU		Mali G52
	Display Technique	DLP	RAM		4GB
	Display Chip	0.47" DMD	Storage		128GB
	3D	Yes	System		Google TV
	Supported Formats	HDR 10+, IMAX Enhanced, Dolby Vision	Mirroring Display		GoogleCast/DLNA
	Latency	(Game Mode, VRR on, AK off) 1ms at 1080P@240Hz 2.2ms at 1080P@120Hz 3ms at 4K @60Hz	Audio		Speaker
	MEMC	Yes		DTS Virtual:X	Yes
	Brightness	4100 ISO Lumens		DTS-HD	Yes
	Standard Resolution	3840 x 2160 pixels		Dolby Audio	Yes
	Color Gamut	BT.2020 110%		Dolby Digital (DD)	Yes
	Contrast Ratio	20,000:1 (DBLE On)	Dolby Digital Plus (DD+)	Yes	
	Lens	High Light Transmission Coated Lens	Connectivity	WiFi	WiFi 6 Dual-band 2.4/5GHz, 802.11a/b/g/n/ac/ax
	Eye Protection	Yes		Bluetooth	Bluetooth 5.2
	Setup	Keystone Correction		Uninterrupted Auto Keystone	Input Ports
Focus		Auto Focus		Output Ports	Optical x 1, Audio x 1
Intelligent Screen Alignment		Yes	Electrical	Noise Level	≤28dB@1m
Intelligent Obstacle Avoidance		Yes		Power Dissipation	≤230W
Lens Shift		V±120%/H±45%		Power	AC100-240V, 50/60Hz AC180-265V, 50/60Hz
Optical Zoom		Yes	Measurements	Product Size (H x W x D)	249 x 298 x 190 mm / 9.8 x 11.7 x 7.5 In
What's in the Box		Product Weight		4.9 kg / 10.8 lbs	
		Power Plug	x1		
		Manual	x1		
		Warranty Card	x1		

Model	Item	HORIZON 20	Setup	Aspect Ratio	16:9
Display	Product Classification	Home Projector	Setup	Image Size	40" - 300"
	Light Source	RGB Triple Laser		System	CPU
	Expected Lamp Life	20000 Hours	GPU		Mali G52
	Display Technique	DLP	RAM		4GB
	Display Chip	0.47" DMD	Storage		128GB
	3D	Yes	System		Google TV
	Supported Formats	HDR 10+, IMAX Enhanced, Dolby Vision	Mirroring Display		GoogleCast/DLNA
	Latency	(Game Mode, VRR on, AK off) 1ms at 1080P@240Hz 2.2ms at 1080P@120Hz 3ms at 4K @60Hz	Audio		Speaker
	MEMC	Yes		DTS Virtual:X	Yes
	Brightness	3200 ISO Lumens		DTS-HD	Yes
	Standard Resolution	3840 x 2160 pixels		Dolby Audio	Yes
	Color Gamut	BT.2020 110%		Dolby Digital (DD)	Yes
	Contrast Ratio	20,000:1 (DBLE On)	Dolby Digital Plus (DD+)	Yes	
	Lens	High Light Transmission Coated Lens	Connectivity	WiFi	WiFi 6 Dual-band 2.4/5GHz, 802.11a/b/g/n/ac/ax
	Eye Protection	Yes		Bluetooth	Bluetooth 5.2
	Setup	Keystone Correction		Uninterrupted Auto Keystone	Input Ports
Focus		Auto Focus		Output Ports	Optical x 1, Audio x 1
Intelligent Screen Alignment		Yes	Electrical	Noise Level	≤28dB@1m
Intelligent Obstacle Avoidance		Yes		Power Dissipation	≤180W
Lens Shift		V±120%/H±45%		Power	AC100-240V, 50/60Hz
Optical Zoom		Yes	Measurements	Product Size (H x W x D)	249 x 298 x 190 mm / 9.8 x 11.7 x 7.5 In
				Product Weight	4.8 kg / 10.6 lbs
		What's in the Box	Power Plug	x1	
			Manual	x1	
			Warranty Card	x1	

XGIMI SMART
PROJECTORS