

XGIMI



# TITAN

## Product Deck

4K 5000 Lumens of Professional Performance

# Important Notice

- 1 This document is confidential. Please do not share or disseminate it in any form.
- 2 All pictures in this document cannot be used directly for dissemination.
- 3 The information in this document may change during the product development process; please check regularly for our updates.
- 4 For final product images, features, and parameters, please refer to the final version available on the market.
- 5 Any direct comparison of other brands mentioned in the competitiveness is for internal understanding only.  
Please do not use them directly for external publicity.  
For detailed revision records, please refer to the version records.

# Revision Records

Version	Revision Records	Date
V1	First Version	2025/8/11
V2	Specs Update	2025/10/9
V3	Shift Range Update	2025/10/24

# Product Overview-TITAN

## Communication Strategy

### Lossless Optics

#### XGIMI Self-Developed Optical System

0.78" HEP Imaging Chip  
XGIMI X1 AI Chip

Nearly Invisible Border  
4x Greater Light Throughput  
Superior Detail Resolution

#### Advanced Lens

Lens Shift | Optical Zoom  
V±100% / H±40% | 1.2:1-1.8:1

### Cinematic Clarity

#### Cinematic Color. Immersive Scale

##### Performance Tested

Professional Color Accuracy  
Average  $\Delta E < 1$   
150% DCI-P3

5000 ISO Ultra Bright

5000000:1  
Dynamic Contrast Ratio

IMAX Enhanced  
Dolby Vision  
Filmmaker Mode  
HDR 10+

### All-in-One Simplicity

#### Complete Compatibility, Effortless Setup

Built-In Adapter,  
Clean Setup

Full Connectivity for  
Modern Living

3D Supported

## Positioning & Slogan

Pro Projector Perfect for Home and Business

4K 5000 Lumens of  
Professional Performance



## Feature Highlights

Professional-Grade 4K 5000 Lumens Brightness



# 5000

0.78" HEP  
Imaging Chip



XGIMI Self-Developed  
Optical System



Pro-Level Automated Lens Shift Module  
H±40%  
V±100%



1.2-1.8:1  
Optical Zoom



Dynamic Contrast Ratio  
5,000,000:1

Ultra-Bright Pro  
Light Engine

XGIMI X1 AI  
Image Chip




IMAX Enhanced, Dolby  
Vision, Filmmaker  
Mode, HDR 10+



# Flagship 4K Chipset



MT9681  
Flagship-grade  
Chip




0.78 4K UHD  
DMD Chip



Self-developed  
XGIMI X1  
AI Image Chip



# Advanced Industrial 0.78" DMD Chip



2.8x Reflective Area Increase

0.78 DMD

0.47 DMD

**1. Massive 2.8x Reflective Area**  
The foundation for efficient light utilization

**2. 4x Greater Light Throughput**  
Translates raw brightness into exceptional on-screen luminosity

**3. Nearly Invisible Pixel Border**  
Eliminates the "screen-door effect" for a perfectly seamless canvas


**4. Superior Detail Resolution**  
Enhanced micro-mirror stability and reduced light scatter for razor-sharp clarity

# 4x Greater Light Throughput



Commercial-grade 5000 ISO Lumens with 4K UHD — vivid, detailed visuals even in ambient light, with no blackout curtains required.


# Nearly Invisible Border



# Superior Detail Resolution



# XGIMI Self-developed XGIMI X1 AI Chip



# Excellent Contrast Ratio

**3000:1**  
contrast ratio


**5000000:1**  
Dynamic contrast ratio




Shadow Detail UP




Tonal Gradation UP



# Uncompromising Cinema Quality at Home



# MT9681



Engineered for premium commercial entertainment, the professional-grade MT9781 System-on-Chip delivers exceptionally smooth gameplay and fluid 4K streaming with remarkably low latency and rapid response. Paired with a robust 8447 driver, whether you're navigating an intense in-game battle or watching a fast-paced action film, every moment feels seamlessly immersive.

# Faster starts, Instant switches, Endless storage

RAM



ROM



● TITAN      ● Ordinary Competitor



Boosted memory and expanded storage form the foundation of robust performance, enabling quick start-ups, fluid operation, and ample space for your vast collection of content.

# Lifelike Colors

$\Delta E < 1$


150% DCI-P3



DCI-P3

Rec.709

# Full-Frame 4K Master Lens





**Optical Zoom**  
**1.2:1-1.8:1**

<b>Image Size</b>	<b>Projection Distance Range</b>
65	1.73 – 2.59m
80	2.13 – 3.19m
90	2.39 – 3.59m
100	2.66 – 3.99m
110	2.92 – 4.39m
120	3.19 – 4.79m
150	3.99 – 5.99m
200	5.31 – 7.99m
300	7.97 – 11.99m

# Automated Lens Shift

## No-loss image adjustment



Physically adjusting the position of the lens relative to the DMD chip

Lossless Image Adjustment

Preserves 4K clarity



Less Keystone Dependency

Less distortion, less latency

No Need for Exact Mounting

Flexible placement at your ideal height

# HOW to calculate lens shift for your space




Vertical  $\pm 100\%$

16:9 Screen Size		Shift Range		
F	W x H (cm)	A (cm)	B (cm)	A+B (cm)
80"	177 x 100	10	90	100
100"	221 x 125	13	112	125
120"	266 x 149	15	134	149
150"	332 x 187	19	168	187
200"	443 x 249	25	224	249
300"	664 x 373	37	336	373

Formula:  $A+B=H*100\%$

\*The vertical lens shift range is  $\pm 100\%$ . The default lens position is set at 0%

# HOW to calculate lens shift for your space



Horizontal  $\pm 40\%$

16:9 Screen Size		Shift Range
F	W x H (cm)	C+D (cm) (C=D)
80"	177 x 100	71
100'	221 x 125	88
120"	266 x 149	106
150"	332 x 187	133
200"	443 x 249	177
300"	664 x 373	266

Formula:  $C+D = \underline{W*40\%}$


( $C=D=W*0.5*40\%$ )

# Comprehensively Upgraded with Super Spatial Eye Comfort


Dual TOF & dual visual sensors for four-eye glare prevention and long-distance perception.




# XGIMI TITAN Quad Lens Solution



# Standard Home Projector Coverage Area



The TITAN system's eye-safety zone is approximately 9.6 times larger than that of a standard projector.



\*Calculated based on the conical sensing volume of the anti-blinding sensor.

Auto Screen Alignment




Auto Keystone Correction




3D support



# Built-in Adapter, Clean Setup



# Connectivity



# Accessory Compatibility

XGIMI X-Floor Stand Ultra



XGIMI Ceiling Mount Ultra



# Benefits of Each Picture Quality Certification

Certification Name				
Image Quality Features	High-quality visuals and sound with ultra-wide format support	Lower saturation for authentic film grain	Bright, high contrast, lifelike images	Frame-by-frame dynamic optimization
Bit Depth	Excellent	Excellent	Good	Excellent
Color Gamut	DCI-P3 to BT.2020	DCI-P3 to BT.2020	DCI-P3 to BT.2020	DCI-P3 to BT.2020
Dynamic Metadata	/	/	Yes	Yes
Device Compatibility	Low	Low	High	Low
Content Supported	Limited	Limited	Extensive	Limited
Expanded Aspect Ratio	Yes	/	/	/
Custom Color Calibration	/	Yes	/	/




**250"**  
(6.7-9.4m)/21.98 ft - 30.84 ft  
Cinematic immersion, day or night

**200"**  
(5.3-8m)/17.39 ft - 26.25 ft  
Bright enough for daytime use

**150"**  
(4-6m)/13.12 ft - 19.69 ft  
Clear in softly lit rooms

**100"**  
(2.7-4m)/8.86 ft - 13.12 ft  
Vibrant even with ambient light

The image features three overlapping, semi-transparent dark red spheres arranged in a horizontal line against a solid black background. The spheres overlap in the center, creating a darker red hue in the intersection. The text 'Product Comparison' is centered horizontally and vertically within the overlapping area of the spheres.

# Product Comparison

# COMPARISON (HORIZON 20 Max vs TITAN)



Product Model		HORIZON 20 Max	TITAN
Price Range		\$2999/€2999	\$3999/€3999
Display	Display Tech	DLP	DLP
	Display Chip	0.47"	<b>0.78" (HEP)</b>
	Light Source	RGB Triple Laser	Dual Laser
	Brightness	<b>5700 ISO</b>	5000 ISO
	Resolution	4K	
	Native Contrast	20,000:1(DBLE On)	3000:1
	Dynamic Contrast	1,000,000:1	<b>5,000,000:1</b>
	Supported Format	IMAX Enhanced, Dolby Vision, Filmmaker Mode, HDR 10	
Projection	Throw Ratio	1.2~1.5:1	<b>1.2~1.8:1</b>
	Lens Shift	H ±45%, V ±120%	H ±40%, V ±100%
	ToF	ToF*1	<b>ToF*2</b>
System	CPU	MT9679	<b>MT9681</b>
	RAM	4GB	

# COMPARISON (HORIZON 20 Max vs TITAN)




Product Model		HORIZON 20 Max	TITAN
System	ROM	128GB	
	OS	GTV	No OS built-in, GTV TV Stick inbox
Intelligence	Latency	1080P@240Hz	1080P@240Hz-15ms
	VRR/ALLM	Yes	/
	Intelligent Screen Alignment	/	Yes
	Intelligent Eye Protection	Yes	Yes
Sound	Speakers	2*12W Harman Kardon, DTS HD	2*12W XGIMI SOUND, DTS HD
Connectivity	Ports	<ul style="list-style-type: none"> <li>DC*1</li> <li>HDMI 2.1*2(HDMI1 supports eARC)</li> <li>USB 2.0*1</li> <li>USB 3.0*1</li> </ul>	<ul style="list-style-type: none"> <li>AC*1</li> <li>HDMI 2.1*2(HDMI1 supports eARC)</li> <li>Audio out *1</li> <li>Wired remote *1</li> <li>USB 2.0*1</li> <li>USB 3.0*1</li> <li>LAN *1</li> <li>RS232 *1</li> <li>Optical*1</li> </ul>
	WiFi	WiFi 6	WiFi 6
	Bluetooth	Bluetooth 5.3	Bluetooth 5.2

# COMPETITOR COMPARISON

Product Model		TITAN	EPSON LS11000	EPSON LS12000	OPTOMA UHZ65LV	SONY VPL-XW5000ES
Product Image						
Price Range		\$3999/€3999	MSRP \$3999; <b>Certified ReNew Price \$2799</b>	MSRP \$4999	MSRP €3,059	MSRP \$5999
Display	Display Tech	DLP	3LCD	3LCD	DLP	4K SXRD
	Display Chip	<b>0.78" (HEP)</b>	/	/	-	-
	Light Source	Dual Laser	Single Laser (Blue )	Single Laser (Blue )	Laser	Laser
	Brightness	<b>5000 ISO</b>	2500 Lumens	2700 ISO Lumens	5000 Lumens	2000 Lumens
	Resolution	4K	4K	4K	4K	<b>Native 4K</b>
	Native Contrast	3000:1	/	/	/	/
	Dynamic Contrast	<b>5,000,000:1</b>	1,200,000:1	2,500,000:1	2,000,000:1	∞: 1
	Color Gamut	<b>150% DCI-P3</b>	/	/	/	<b>95% DCI-P3</b>
	Supported Format	IMAX Enhanced, Dolby Vision, Filmmaker Mode	HDR10+, HDR10 and HLG	HDR10+, HDR10 and HLG	/	
Projection	Throw Ratio	1.2~1.8:1	<b>2.1x zoom</b> , 1.35~2.84:1	<b>2.1x zoom</b>	<b>1.6x optical zoom</b> , 1.39~2.22:1	<b>1.6x zoom</b> , 1.38~2.21:1
	Lens Shift	V ±100%, H ±40%	V ±192%; H ±94%	V ±96%, H ±47%	V +15%	V ±71%, H± 25%

<b>COMPETITOR COMPARISON</b>						
<b>Product Model</b>		<b>TITAN</b>	<b>EPSON LS11000</b>	<b>EPSON LS12000</b>	<b>OPTOMA UHZ65LV</b>	<b>SONY VPL-XW5000ES</b>
<b>System</b>	<b>CPU</b>	<b>MT9681</b>	-	-	-	-
	<b>OS</b>	<b>GTV TV Stick inbox</b>	/	/	/	-
	<b>Input Refresh Rate</b>	1080p@240Hz	4K at 120 Hz, 1080p at 120 Hz	4K at 120 Hz, 1080p at 120 Hz	-	-
<b>Intelligence</b>	<b>Screen Alignment</b>	Intelligent Screen Fit	/	/	/	/
	<b>Eye Protection</b>	Intelligent Eye Protection	/	/	/	/
<b>Sound</b>	<b>Speakers</b>	<b>2*12W XGIMI Sound</b>	/	/	/	/
<b>Connectivity</b>	<b>Ports</b>	<ul style="list-style-type: none"> <li>AC*1</li> <li>HDMI 2.1*2 (one supports eARC)</li> <li>Audio out *1</li> <li>Wired remote *1</li> <li>USB 2.0*1</li> <li>USB 3.0*1</li> <li>LAN *1</li> <li>RS232 *1</li> <li>Optical *1</li> </ul>	<ul style="list-style-type: none"> <li>DC*1</li> <li>HDMI 2.1*2 (one supports eARC)</li> <li>USB Type-A*2</li> <li>LAN*1</li> <li>RS-232C *1</li> </ul>	<ul style="list-style-type: none"> <li>DC*1</li> <li>HDMI 2.1*2 (one supports eARC)</li> <li>USB Type-A*2</li> <li>LAN*1</li> <li>RS-232C *1</li> </ul>	<ul style="list-style-type: none"> <li>DC in*1</li> <li>HDMI 2.0*1</li> <li>HDMI 1.4*1</li> <li>Audio 3.5mm*2</li> <li>USB Type-A*2</li> <li>S/PDIF</li> <li>RS232 *1</li> <li>RJ45/LAN*1</li> </ul>	<ul style="list-style-type: none"> <li>DC in*1</li> <li>HDMI*2</li> <li>RJ45/LAN*1</li> <li>USB Type-A*1</li> <li>TRIGGER*1</li> </ul>
<b>Measurement</b>		158 x 441 x 345 mm / 6.22 x 17.36 x 13.58 in	20.5" x 17.6" x 7.6", 28lb	20.5" x 17.6" x 7.6", 28lb	19.61" x 13.03" x 6.73", 23lb	18.13" x 7.88" x 18.59", 28lb
<b>Accessories</b>	<b>Mounting</b>	XGIMI X-Floor Stand Ultra XGIMI Ceiling Mount Ultra	Ceiling Mount	Ceiling Mount Included		

The image features three overlapping, semi-transparent dark red spheres arranged in a horizontal line against a solid black background. The spheres overlap in the center, creating a darker red area where they meet. The text 'Product Specs' is centered horizontally and vertically within the overlapping region of the spheres.

Product Specs

Model	Item	TITAN
Display	Product Classification	Home Projector
	Light Source	Dual Laser
	Expected Lamp Life	25000 Hours
	Display Technique	DLP
	Display Chip	0.78"DMD
	3D	Yes
	Supported Formats	HDR 10+, IMAX Enhanced, Dolby Vision, Filmmaker Mode
	Latency	1080P@240Hz-15ms
	MEMC	Yes
	Brightness	5000 ISO Lumens
	Standard Resolution	3840 x 2160 pixels
	Color Gamut	DCI-P3 150%
	Contrast Ratio	Dynamic 5000000:1
Lens	High Light Transmission Coated Lens	
Eye Protection	Yes	

Model	Item	TITAN
Setup	Keystone Correction	Auto Keystone
	Focus	Auto Focus
	Intelligent Screen Alignment	Yes
	Intelligent Obstacle Avoidance	/
	Lens Shift	V±100%/H±40%
	Optical Zoom	Yes
	Throw Ratio	1.2-1.8:1
	Aspect Ratio	16:9
Image Size	60" - 250"	

Model	Item	TITAN
System	CPU	MT9681
	GPU	G57
	RAM	4GB
	Storage	128GB
	System	No OS built-in, GTV TV Stick in box
	Mirroring Display	/

Model	Item	TITAN
Audio	Speaker	2*12W
	DTS Virtual:X	Yes
	DTS-HD	Yes
	Dolby Audio	Yes
	Dolby Digital (DD)	Yes
Dolby Digital Plus (DD+)	Yes	

Model	Item	TITAN
Connectivity	WiFi	WiFi 6 Dual-band 2.4/5GHz, 802.11a/b/g/n/ac/ax
	Bluetooth	Bluetooth 5.2
Input Ports	Input Ports	AC x 1, HDMI*2 (HDMI1 supports eARC), USB 3.0 x 1, USB 2.0 x 1, Service *1, Wired remote *1, LAN *1, RS232 *1
	Output Port	Audio out *1; OPTICAL*1

Model	Item	TITAN
Electrical	Noise Level	≤32dB@1m
	Power Dissipation	≤500W
	Power	AC100-240V, 50/60Hz

Model	Item	TITAN
Measurements	Product Size (H x W x D)	158 x 441 x 345 mm / 6.22 x 17.36 x 13.58 In 187 x 486 x 378 mm / 7.36 x 19.13 x 14.88 In (with desktop stand)
	Product Weight	11.5 kg / 25.35 lbs

Model	Item	TITAN
What's in the Box	Power Plug	x1
	Manual	x1
	Desktop Stand	x1
	Remote Control	Bluetooth Remote Control x1, AAA Batteries x2

The logo features the brand name 'XGIMI' in a bold, white, sans-serif font. The 'X' is stylized with a central gap. To the right of 'XGIMI', the words 'SMART' and 'PROJECTORS' are stacked vertically in a smaller, white, sans-serif font. The entire logo is centered against a black background with three overlapping, semi-transparent red spheres that create a sense of depth and motion.

**XGIMI** SMART  
PROJECTORS